

Neo Peri-Implantitis Solutions

台灣 紐白特

李在熙

Prevention of Peri-Implantitis



- ✓ Brush to prevent peri-implantitis
- Remove plague or inflammation formed around the gum
- ✓ Use when implanted patient(s) is recalled, to cleanse implant




GINGISTAR Tip



Prevention of Peri-Implantitis

Comparison between EMS Perioflow and Gingistar













EMS PERIOFLOW®

- ✓ Subgingival biofilm removal (debridement) in >4 to 9 mm periodontal and peri-implant pockets
- ✓ Prevention of mucositis / peri-implantitis
- Video: https://www.youtube.com/watch?v=6eO1ejKzvLk






Disinfection liquid being injected using GINGISTAR with vibration






Treatmment of Peri-Implantitis



- ✓ Implant scaler for perfect decontamination of the implant surface
- Non-surgical treatment of periimplantitis
- ✓ Disposable 1 Box 10ea
- ✓ Speed: 2,000 ~ 10,000rpm








Treatmment of Peri-Implantitis



- ✓ Implant scaler for perfect decontamination of the implant surface
- ✓ Non-surgical treatment of peri-implantitis
- ✓ Reusable (10 times) 1 Box 2ea
- ✓ Speed: 2,000 ~ 10,000rpm







Treatmment of Peri-Implantitis



- ✓ Implant scaler for perfect decontamination of the implant surface
- ✓ Perfectly cleanse the infected implant surface with Round-Brush
- ✓ · Reusable (10 times) 1 Box 2ea
- ✓ · Speed : 2,000 ~ 10,000rpm)



Severe periimplantitis and bone loss was observed and the prosthesis was removed.



The infected implant surface was perfectly cleansed after the use of R-Brush.